

PAYSBUY

PAYSBUY SPECIFICATION

Version 1

(Update 22/06/2010)

1. Counterservice Method

Use for Generate barcodeID Counter Service

Demo Server

http://demo.paysbuy.com/psb_ws/ws_counterservice.asmx

method : counterservice

Production server

http://www.paysbuy.com/psb_ws/ws_counterservice.asmx

method : counterservice

Parameter Description

Parameter	Data Type	Null Value	Description
psbID	nchar(10)	-	Merchant's PSB ID
username	nvarchar(200)	-	Merchant's Email for login
secureCode	nvarchar(200)	-	Code generated by PAYSBUY for each merchant
inv	nvarchar(200)	-	Invoice no. or merchant's reference no.
itm	nvarchar(200)	-	Order's name or description
amt	double	-	Transaction amount (must be no less than 1 baht and not over 30,000 baht per transaction)
payerEmail	nchar(200)	-	Customer email
payerName	nvarchar(200)	-	Customer name
billingAddress	nvarchar(200)	-	Customer address
mobilePhone	nvarchar(200)	Allow	Receive barcodeID via SMS
note	nvarchar(200)	Allow	Description for payment
resp_front_url	nvarchar(200)	-	URL that redirects customer to merchant's website when the payment is finished
resp_back_url	nvarchar(200)	-	URL that returns data to merchant in background
language	nchar(2)	-	th, en

Example of Data Sent

Parameter	Data
psbID	"8303545188"
username	"demo@paysbuy.com"
secureCode	"1586093A8F80CBB5003001B42F0EEB7C"
inv	"2009060101"
itm	"PAYSBUY Test Product"
amt	1
payerEmail	"example@paysbuy.com"
payerName	"Example"
billingAddress	"Phayathai"
mobilePhone	"0891234567"
note	"Test"
resp_front_url	"https://www.paysbuy.com/receiveresponse/Result.aspx"
resp_back_url	"https://www.paysbuy.com/receiveresponse/ResultReg.aspx"
language	en

